Wellis®

Recommended Retail Prices 2020

- Sales of the Year -



RRP 6 990 CHF 2020 Sales 4 890 CHF

-30%

RRP 7 390 CHF 2020 Sales 5 190 CHF

-30%





MYLINE SUN PLUG&PLAY

• TITEME OUN TEOORTEM	
Measurements (L × W × H)	2 000 × 1 500 × 700 mm
Reclining / Sitting places	2/1
Net weight / Water volume	230 kg / 551 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Min. power requirement*	1 × 6A 230V/50Hz
Control box	Gecko (IN.YJ-2)
Control panel	Easy4
Total number of jets	26 pcs
Waterfall	-
Laminar fountain jets	-
Heater	2 kW
Pumps	1 × 1.5 HP, double speed
Cartridge filter	1 pc Superfine paper filter
Water sanitization	-
LED lights	10 pcs LED
Headrests	2 pcs
Sound system	-
Aromatic therapy	-
Plug&Play	yes
Thermo cover	yes

SmartPhone app with wifi connection Options:

MYLINE SUN FAMILY PLUG&PLAY

Measurements (L × W × H)	1 900 × 1 900 × 750 mm
Reclining / Sitting places	2/3
Net weight / Water volume	270 kg / 700 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Min. power requirement*	1 × 10A 230V/50Hz
Control box	Gecko (IN.YJ-2)
Control panel	Easy4
Total number of jets	36 pcs
Waterfall	-
Laminar fountain jets	-
Heater	2 kW
Pumps	1 × 3 HP double speed
Cartridge filter	1 pc Superfine paper filter
Water sanitization	-
LED lights	8 pcs LED
Headrests	3 pcs
Sound system	-
Aromatic therapy	-
Plug&Play	yes
Thermo cover	yes

SmartPhone app with wifi connection Options:









RRP 8 390 CHF 2020 Sales 5 890 CHF

-30%

RRP 8 390 CHF 2020 Sales 5 890 CHF

-30%





MYLINE MARS

Measurements (L × W × H)	2 130 × 1 600 × 750 mm
Reclining / Sitting places	2/1
Net weight / Water volume	250 kg / 660 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 20A 230V/50Hz 1 × 7A 230V/50Hz
Control box	Gecko (IN.YJ-2)
Control panel	Easy4
Total number of jets	37 pcs
Waterfall	-
Laminar fountain jets	-
Heater	3 kW
Pumps	1 × 2 HP double speed
Cartridge filter	1 pc Superfine paper filter
Water sanitization	Ozone generator
LED lights	12 pcs LED
Headrests	2 pcs
Sound system	MyMusic™ 2.0
Aromatic therapy	-
Plug&Play	-
Thermo cover	yes

SmartPhone app with wifi connection Options:

Scandinavian insulation (3,5 cm)

Plug & Play



MYLINE TITAN

Measurements (L × W × H)	2 010 × 1 530 × 770 mm
Reclining / Sitting places	1/2
Net weight / Water volume	280 kg / 720 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 23A 230V/50Hz 1 × 10A 230V/50Hz
Control box	Gecko (IN.YJ-2)
Control panel	Easy4
Total number of jets	31 pcs
Waterfall	1 pc illuminated
Laminar fountain jets	-
Heater	3 kW
Pumps	1 × 3 HP double speed
Cartridge filter	1 pc Superfine paper filter
Water sanitization	Ozone generator
LED lights	10 pcs LED + Central
Headrests	3 pcs
Sound system	MyMusic™ 2.0
Aromatic therapy	-
Plug&Play	-
Thermo cover	yes

SmartPhone app with wifi connection Options:

Scandinavian insulation (3,5 cm)

Plug & Play









RRP 9 490 CHF 2020 Sales

6 690 CHF -30% RRP 9 490 CHF 2020 Sales 5 700 CHF

-40%





MYLINE EARTH

Measurements (L × W × H)	Ø 2 180 × 910 mm
Sitting places	5
Net weight / Water volume	300 kg / 1 045 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 20A 230V/50Hz 1 × 7A 230V/50Hz
Control box	Gecko (IN.YJ-2)
Control panel	Easy4
Total number of jets	22 pcs
Waterfall	-
Laminar fountain jets	-
Heater	2 kW
Pumps	1 × 2 HP double speed
Cartridge filter	1 pc Superfine paper filter
Water sanitization	Ozone generator
LED lights	10 pcs LED
Headrests	-
Sound system	MyMusic™ 2.0
Aromatic therapy	
Plug&Play	
Thermo cover	yes

SmartPhone app with wifi connection Plug & Play Options:



•==	
Measurements (L × W × H)	2 000 × 2 000 × 890 mm
Reclining / Sitting places	2/3
Net weight / Water volume	270 kg / 960 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Opt. power requirement	1 × 23A 230V/50Hz
Min. power requirement*	1 × 7A 230V/50Hz
Control box	Gecko (IN.YJ-2)
Control panel	Easy4
Total number of jets	42 pcs
Waterfall	-
Laminar fountain jets	-
Heater	3 kW
Pumps	1 × 3 HP double speed
Cartridge filter	2 pcs Superfine paper filters
Water sanitization	Ozone generator
LED lights	16 pcs LED
Headrests	3 pcs
Sound system	MyMusic™ 2.0
Aromatic therapy	-
Plug&Play	-
Thermo cover	yes

SmartPhone app with wifi connection Scandinavian insulation (3,5 cm) Plug & Play Options:









RRP 9 490 CHF

6 690 CHF 2020 Sales -30% RRP 9 790 CHF 2020 Sales 6 890 CHF

-30%





MYLINE JUPITER

Measurements (L × W × H)	2 000 × 2 000 × 870 mm
Reclining / Sitting places	1/5
Net weight / Water volume	300 kg / 1 100 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 23A 230V/50Hz 1 × 10A 230V/50Hz
Control box	Gecko (IN.YJ-2)
Control panel	Easy4
Total number of jets	46 pcs
Waterfall	-
Laminar fountain jets	2 pcs
Heater	3 kW
Pumps	1 × 3 HP double speed
Cartridge filter	1 pc Superfine paper filter
Water sanitization	Ozone generator
LED lights	15 pcs LED
Headrests	3 pcs
Sound system	MyMusic™ 2.0
Aromatic therapy	-
Plug&Play	-
Thermo cover	yes

SmartPhone app with wifi connection Scandinavian insulation (3,5 cm) Plug & Play Options:



MYLINE VENUS

Measurements (L × W × H)	2 150 × 2 150 × 870 mm
Reclining / Sitting places	1/5
Net weight / Water volume	330 kg / 1 450 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 27A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 14A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	Easy4
Total number of jets	49 pcs
Waterfall	-
Laminar fountain jets	-
Heater	3 kW
Pumps	1 × 2 HP, double speed 1 × 2 HP, single speed
Cartridge filter	2 pcs Superfine paper filters
Water sanitization	Ozone generator
LED lights	18 pcs LED
Headrests	3 pcs
Sound system	MyMusic™ 2.0
Aromatic therapy	-
Plug&Play	-
Thermo cover	yes INCLUDE:

SmartPhone app with wifi connection Scandinavian insulation (3,5 cm) Options:









MYMUSICTM A. SYSTEM

RRP 10 990 CHF 7 690 CHF 2020 Sales

-30%

RRP 12 690 CHF 2020 Sales 8 890 CHF

-30%





MYLINE SATURN

Measurements (L × W × H)	2 300 × 2 300 × 880 mm
Reclining / Sitting places	2/3
Net weight / Water volume	350 kg / 1 400 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 27A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 14A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	Easy4
Total number of jets	50 pcs
Waterfall	-
Laminar fountain jets	-
Heater	3 kW
Pumps	1 × 2 HP, double speed 1 × 2 HP, single speed
Cartridge filter	2 pcs Superfine paper filters
Water sanitization	Ozone generator
LED lights	18 pcs LED
Headrests	3 pcs
Sound system	MyMusic™ 2.0
Aromatic therapy	-
Plug&Play	-
Thermo cover	yes yes
	101 1102, 2010

SmartPhone app with wifi connection Options: Scandinavian insulation (3,5 cm)

MYLINE MERCURY

Measurements (L × W × H)	2 130 × 2 130 × 910 mm
Reclining / Sitting places	1/5
Net weight / Water volume	350 kg / 1 300 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 33A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 20A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	Easy4
Total number of jets	82 pcs
Waterfall	1 pc
Laminar fountain jets	-
Heater	3 kW
Pumps	1 × 3 HP, double speed 1 × 3 HP, single speed
Cartridge filter	1 pc Superfine paper filter
Water sanitization	Ozone generator
LED lights	12 pcs LED
Headrests	5 pcs
Sound system	MyMusic™ 2.0
Aromatic therapy	-
Plug&Play	-
Thermo cover	yes
	I CI LIDE: DIO

SmartPhone app with wifi connection Scandinavian insulation (3,5 cm) Options:









RRP 10 590 CHF 2020 Sales 7 390 CHF

-30%

RRP 15 990 CHF 2020 Sales 11 190 CHF

-30%





MYLINE HOLIDAY LET SPA

MILINE HOLIDAL ELI SLA	
Measurements (L × W × H)	2 000 × 2 000 × 870 mm
Reclining / Sitting places	1/5
Net weight / Water volume	350 kg / 1 150 l
Frame	Impregnated solid wood
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (1 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 20A 230V/50Hz 1 × 12A 230V/50Hz
	1 × 29A 230V/50Hz (P&P vers.) 1 × 12A 230V/50Hz (P&P vers.)
Control box	Gecko (IN.YJ-2)
Control panel	Easy 4 (hidden in the cabinet)
Total number of jets	40 pcs
Waterfall	-
Laminar fountain jets	-
Heater	2 kW
Pumps	2 × 1.5 HP double speed
Cartridge filter	1 pc Superfine paper filter
Water sanitization	Chlorine dispenser
LED lights	15 pcs LED
Smartphone app - wifi connection	yes
Auxiliary panel	2 pcs 1 button
Plug&Play	yes
Thermo cover	yes

Options: Scandinavian insulation (3,5 cm)

MYLINE KILIMANJARO STANDARD

•	
Measurements (L × W × H)	2 300 × 2 300 × 940 mm
Reclining / Sitting places	1/5
Net weight / Water volume	410 kg / 1 450 l
Frame	WPS
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement	$1\times43A$ 230V/50Hz or $3\times16A$ 400V/50Hz
Min. power requirement*	1 × 30A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	W5000 (IN.K500)
Total number of jets	52 pcs
Laminar fountain jets	2 pcs lighting
Heater	3 kW
Pumps	2 pcs 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	3 pcs MicroPlus paper filters
Water sanitization	Ozone generator
LED lights	13 pcs LEDs + Central
Headrests	3 pcs
Sound system	Mymusic™ 2.0
Thermo cover	yes

Scandinavian insulation (3,5 cm) Options:

SmartPhone app - wifi connection











RRP 11 990 CHF 2020 Sales 8 390 CHF

-30%

RRP 11 490 CHF 2020 Sales 7 990 CHF

-30%





O CITYLINE MARBELLA

Measurements (L × W × H)	1 900 × 1 800 × 850 mm
Sitting places	4
Net weight / Water volume	280 kg / 790 l
Frame	WPS
Side cover	HorizontSide™ with StarSide™ corner
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 25A 230V/50Hz or 3 × 16A 400V/50Hz 1×10A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	SmartTouch
Total number of jets	30 pcs
Waterfall	1 pc
Laminar fountain jets	3 pcs lighting
Heater	3 kW
Pumps	1 pc 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	1 pc MicroPlus paper filter
Water sanitization	UV-C
LED lights	10 pcs LED + StarLight™ illuminated corner element+ illum. control valves
Headrests	4 pcs
Sound system	MyMusic™ 2.1
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Thermo cover	yes

Options: Scandinavian insulation (3,5 cm)

In.Clear water sanitization

Lighting jets

CITYLINE MARBELLA STANDARD

Measurements (L \times W \times H)	1 900 × 1 800 × 850 mm
Sitting places	4
Net weight / Water volume	280 kg / 790 l
Frame	WPS
Side cover	HorizontSide™ with StarSide™ corner
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 25A 230V/50Hz or 3 × 16A 400V/50Hz 1×10A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	W5000 (IN.K500)
Total number of jets	30 pcs
Waterfall	1 pc
Laminar fountain jets	3 pcs lighting
Heater	3 kW
Pumps	1 pc 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	1 pc MicroPlus paper filter
Water sanitization	Ozone generator
LED lights	10 pcs LED + StarLight™ illuminated corner element
Headrests	4 pcs
Sound system	MyMusic™ 2.0
SmartPhone app - wifi connection	-
Aromatic therapy	-
Thermo cover	yes

Options: Scandinavian insulation (3,5 cm)









^{*}The recommended retail prices were calculated with an average of 8% VAT. **The prices quoted do not include transport, installation and accessories.

RRP 11 490 CHF 2020 Sales 7 990 CHF

-30%

RRP 9 990 CHF

2020 Sales 6 990 CHF

-30%





O CITYLINE MANHATTAN

Measurements (L × W × H)	2 010 × 1 530 × 850 mm
Reclining places	2
Net weight / Water volume	280 kg / 510 l
Frame	WPS
Side cover	HorizontSide™ with StarSide™ corner
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	2 pcs at the seat bottom
Opt. power requirement Min. power requirement*	1 × 25A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 10A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	SmartTouch
Total number of jets	28 pcs
Waterfall	-
Laminar fountain jets	3 pcs lighting
Heater	3 kW
Pumps	1 pc 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	1 pc MicroPlus paper filter
Water sanitization	UV-C
LED lights	10 pcs LED + StarLight™ illuminated corner element+ illum. control valves
Headrests	2 pcs
Sound system	MyMusic™ 2.1
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Thermo cover	yes

Options: Scandinavian insulation (3,5 cm)

In.Clear water sanitization

Lighting jets

INCLUDE: MYMUSICTM AUDIO SYSTEM

YEAR WARRANTY FOR PLUMBING

• CITYLINE MANHATTAN STANDARD

· *	
Measurements (L × W × H)	2 010 × 1 530 × 850 mm
Reclining places	2
Net weight / Water volume	280 kg / 510 l
Frame	WPS
Side cover	HorizontSide™ with StarSide™ corner
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	2 pcs at the seat bottom
Opt. power requirement Min. power requirement*	1 × 25A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 10A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	W5000 (IN.K500)
Total number of jets	28 pcs
Waterfall	-
Laminar fountain jets	3 pcs lighting
Heater	3 kW
Pumps	1 pc 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	1 pc MicroPlus paper filter
Water sanitization	Ozone generator
LED lights	10 pcs LED + StarLight™ illuminated corner element
Headrests	2 pcs
Sound system	MyMusic™ 2.0
SmartPhone app - wifi connection	-
Aromatic therapy	-
Thermo cover	yes

Options: Scandinavian insulation (3,5 cm)





YEAR WARRANTY FOR SHELL

^{*}The recommended retail prices were calculated with an average of 8% VAT. ** The prices quoted do not include transport, installation and accessories.

RRP 15 990 CHF 2020 Sales 11 190 CHF

-30%

RRP 12 990 CHF 2020 Sales 8 990 CHF

-31%





CITYLINE ELBRUS

Measurements (L × W × H)	2 180 × 2 180 × 900 mm
Sitting places	7
Net weight / Water volume	380 kg / 1 080 l
Frame	WPS
Side cover	HorizontSide™ with StarSide™ corner
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement	$1\times33A$ 230V/50Hz or $3\times16A$ 400V/50Hz
Min. power requirement*	1 × 20A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	SmartTouch
Total number of jets	40 pcs
Waterfall	1 pc
Laminar fountain jets	2 pcs lighting
Heater	3 kW
Pumps	2 pcs 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	1 pc MicroPlus paper filter
Water sanitization	UV-C
LED lights	16 pcs LED + StarLight™ corner
	element lighting+ illum. control valves
Headrests	4 pcs
Sound system	MyMusic™ 2.1
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Thermo cover	yes

Scandinavian insulation (3,5 cm) Options:

In.Clear water sanitization Lighting jets

CITYLINE ELBRUS STANDARD

Measurements (L × W × H)	2 180 × 2 180 × 900 mm
Sitting places	7
Net weight / Water volume	380 kg / 1 080 l
Frame	WPS
Side cover	HorizontSide™ with StarSide™ corner
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement	1 × 33A 230V/50Hz or 3 × 16A 400V/50Hz
Min. power requirement*	1 × 20A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	W5000 (IN.K500)
Total number of jets	40 pcs
Waterfall	1 pc
Laminar fountain jets	2 pcs lighting
Heater	3 kW
Pumps	2 pcs 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	1 pc MicroPlus paper filter
Water sanitization	Ozone generator
LED lights	16 pcs LED + StarLight™ corner
	element lighting
Headrests	4 pcs
Sound system	MyMusic™ 2.0
SmartPhone app - wifi connection	-
Aromatic therapy	-
Thermo cover	yes

Options: Scandinavian insulation (3,5 cm)









RRP 17 990 CHF

2020 Sales 9 990 CHF -44%

RRP 16 990 CHF 2020 Sales 11 990 CHF

-29%





O CITYLINE PALERMO

Measurements (L × W × H)	2 180 × 2 180 × 870 mm
Reclining / Sitting places	2/3
Net weight / Water volume	350 kg / 1 100 l
Frame	WPS
Side cover	HorizontSide™ with StarSide™ corner
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement	$1 \times 33A$ 230V/50Hz or $3 \times 16A$ 400V/50Hz
Min. power requirement*	1 × 20A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	SmartTouch
Total number of jets	42 pcs
Waterfall	1 pc
Laminar fountain jets	2 pcs lighting
Heater	3 kW
Pumps	2 pcs 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	1 pc MicroPlus paper filter
Water sanitization	UV-C
LED lights	16 pcs LED + StarLight™ corner
	element lighting+ illum. control valves
Headrests	3 pcs
Sound system	MyMusic™ 2.1
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Thermo cover	yes

Scandinavian insulation (3,5 cm) Options:

In.Clear water sanitization

Lighting jets

CITYLINE PALERMO STANDARD

Measurements (L \times W \times H)	2 180 × 2 180 × 870 mm
Reclining / Sitting places	2/3
Net weight / Water volume	350 kg / 1 100 l
Frame	WPS
Side cover	HorizontSide™ with StarSide™ corner
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 33A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 20A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	W5000 (IN.K500)
Total number of jets	42 pcs
Waterfall	1 pc
Laminar fountain jets	2 pcs lighting
Heater	3 kW
Pumps	2 pcs 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	1 pc MicroPlus paper filter
Water sanitization	Ozone generator
LED lights	16 pcs LED + StarLight™ corner element lighting
Headrests	3 pcs
Sound system	MyMusic™ 2.0
SmartPhone app - wifi connection	-
Aromatic therapy	-
Thermo cover	yes

Scandinavian insulation (3,5 cm) Options:









^{*}The recommended retail prices were calculated with an average of 8% VAT. ** The prices quoted do not include transport, installation and accessories.

RRP 16 990 CHF

2020 Sales 11 990 CHF **-29%**

RRP 13 990 CHF 2020 Sales 9 790 CHF

-30%





O CITYLINE MALAGA

2 180 × 2 180 × 900 mm
1/5
350 kg / 1 150 l
WPS
HorizontSide™ with StarSide™ corner
Poli-MAX™
Polyfoam (2 cm)
1 pc at the bottom
$1\times33A$ 230V/50Hz or $3\times16A$ 400V/50Hz
1 × 20A 230V/50Hz
Gecko (IN.YE-3)
SmartTouch
40 pcs
1 pc
3 pcs lighting
3 kW
2 pcs 3 HP single speed
W-EC pump (0.25 kW)
1 pc MicroPlus paper filter
UV-C
16 pcs LED + StarLight™ illuminated
corner element+ illum. control valves
3 pcs
MyMusic™ 2.1
yes
Liquid Aroma (without fragrance)

Options: Scandinavian insulation (3,5 cm)

In.Clear water sanitization

Lighting jets

CITYLINE MALAGA STANDARD

Measurements (L \times W \times H)	2 180 × 2 180 × 900 mm
Reclining / Sitting places	1/5
Net weight / Water volume	350 kg / 1 150 l
Frame	WPS
Side cover	HorizontSide™ with StarSide™ corner
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 33A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 20A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	W5000 (IN.K500)
Total number of jets	40 pcs
Waterfall	1 pc
Laminar fountain jets	3 pcs lighting
Heater	3 kW
Pumps	2 pcs 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	1 pc MicroPlus paper filter
Water sanitization	Ozone generator
LED lights	16 pcs LED + StarLight™ illuminated corner element
Headrests	3 pcs
Sound system	MyMusic™ 2.0
SmartPhone app - wifi connection	-
Aromatic therapy	-
Thermo cover	yes


Options: Scandinavian insulation (3,5 cm)











RRP 22 990 CHF

Made in Europe

15 990 CHF 2020 Sales





■ CITYLINE ACAPULCO DEEP-IN

OTTILINE ACAT OLCO BLET	
Diameter	2 400 mm
Sitting places	6
Net weight / Water volume	250 kg / 1 470 l
Frame	metal
Side cover	Recessed
Reinforcement	Poli-MAX™
Insulation	-
Drains	1 pc at the bottom
Opt. power requirement	1 × 34A 230V/50Hz or 3 × 16A 400V/50Hz
Min. power requirement*	1 × 21A 230V/50Hz
Control box	Gecko (IN.YE-5)
Control panel	SmartTouch
Total number of jets	28 pcs
Waterfall	-
Laminar fountain jets	-
Heater	3 kW
Pumps	3 pcs 2 HP single speed
Circulation pump	-
Sand filter set	Sand filter+circulation pump
Water sanitization	UV-C
LED lights	12 pcs LED + Lighting jets
Headrests	-
Auxiliary control panel	1 pc 1 button
SmartPhone app - wifi connection	yes
Aromatic therapy	-
Thermo cover	yes

In.Clear water sanitization Options: Isolated buffer tank (~ 1000 l)





^{*}The recommended retail prices were calculated with an average of 8% VAT. ** The prices quoted do not include transport, installation and accessories.

RRP 12 990 CHF

2020 Sales 8 990 CHF -31%

RRP 19 990 CHF 2020 Sales 13 990 CHF

-30%





PEAKLINE EXPLORER

Measurements (L × W × H)	2 130 × 1 600 × 970 mm
Reclining places	2
Net weight / Water volume	300 kg / 574 l
Frame	WPS
Side cover	StarSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	2 pcs at the seats
Opt. power requirement Min. power requirement*	1 × 27A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 14A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	SmartTouch
Total number of jets	36 pcs
Waterfall	1 pc
Heater	3 kW
Pumps	2 pcs 2 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	2 pcs MicroPlus paper filters
Water sanitization	UV-C
LED lights	16 pcs LED + Central + StarLight™ illuminated corner element
Headrests	2 pcs
Sound system	Aquasoul™ Pro 2.1 Pop-Up
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Thermo cover	yes

Options: Scandinavian insulation (3,5 cm) In.Clear water sanitization

Lighting jets

HorizontSide™ UV-proof wood textured side cover



Measurements (L × W × H)	2 180 × 2 180 × 970 mm
Reclining / Sitting places	1/4
Net weight / Water volume	350 kg / 931 l
Frame	WPS
Side cover	StarSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom, 5 pcs at the seats
Opt. power requirement Min. power requirement*	1 × 37A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 24A 230V/50Hz
Control box	Gecko (IN.YE-5)
Control panel	SmartTouch
Total number of jets	51 pcs
Waterfall	1 pc
Heater	3 kW
Pumps	1 pc 3 HP single speed 2 pcs 2 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	2 pcs MicroPlus paper filters
Water sanitization	UV-C
LED lights	16 pcs LED + Central + StarLight™ illuminated corner element
Headrests	2 pcs
Sound system	Aquasoul™ Pro 2.1 Pop-Up
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Thermo cover	yes

Options: Scandinavian insulation (3,5 cm) In.Clear water sanitization

Lighting jets Oxygen therapy

HorizontSide™ UV-proof wood textured side cover







^{*}The recommended retail prices were calculated with an average of 8% VAT. ** The prices quoted do not include transport, installation and accessories.



RRP 20 990 CHF

2020 Sales 14 690 CHF

-30%

RRP 21 990 CHF 2020 Sales 15 390 CHF

-30%





PEAKLINE ELBRUS 230

Measurements (L × W × H)	2 300 × 2 300 × 900 mm
Sitting places	7
Net weight / Water volume	410 kg / 1 560 l
Frame	WPS
Side cover	StarSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 43A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 30A 230V/50Hz
Control box	Gecko (IN.YE-5)
Control panel	SmartTouch
Total number of jets	78 pcs
Waterfall	1 pc
Heater	3 kW
Pumps	3 pcs 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	3 pcs MicroPlus paper filters
Water sanitization	UV-C
LED lights	16 pcs LED + Central + StarLight™ illuminated corner element
Headrests	4 pcs
Sound system	Aquasoul™ Pro 2.1 Pop-Up
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Thermo cover	yes

Scandinavian insulation (3,5 cm) Options:

In.Clear water sanitization

Lighting jets Oxygen therapy

HorizontSide™ UV-proof wood textured side cover

Vario Pods



Measurements (L × W × H)	2 300 × 2 300 × 940 mm
Reclining / Sitting places	1/5
Net weight / Water volume	410 kg / 1 450 l
Frame	WPS
Side cover	StarSide™ UV-proof wood textured
Reinforcement	Poli-MAX™
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 43A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 30A 230V/50Hz
Control box	Gecko (IN.YE-5)
Control panel	SmartTouch
Total number of jets	64 pcs
Laminar fountain jets	2 pcs lighting
Heater	3 kW
Pumps	3 pcs 3 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	3 pcs MicroPlus paper filters
Water sanitization	UV-C
LED lights	13 pcs LEDs + Central + StarLight™ illuminated corner element
Headrests	3 pcs
Sound system	Aquasoul™ Pro 2.1 Pop-Up
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Thermo cover	yes

Options: Scandinavian insulation (3,5 cm)

In.Clear water sanitization

Lighting jets

Oxygen therapy HorizontSide™ UV-proof wood textured side cover

Vario Pods









^{*}The recommended retail prices were calculated with an average of 8% VAT.
** The prices quoted do not include transport, installation and accessories.

RRP 29 990 CHF

2020 Sales 20 990 CHF -30%

RRP 34 990 CHF 2020 Sales 24 490 CHF

-30%





- I LANCING EVENEST	
Measurements (L × W × H)	2 360 × 2 360 × 950 mm
Reclining / Sitting places	2/3
Net weight / Water volume	420 kg / 1 560 l
Frame	WPS
Side cover	StarSide™ UV-proof wood textured
Reinforcement	Poli-MAX [™]
Insulation	Polyfoam (2 cm)
Drains	1 pc at the bottom
Opt. power requirement Min. power requirement*	1 × 47A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 34A 230V/50Hz
Control box	Gecko (IN.YT-8)
Control panel	SmartTouch
Total number of jets	88 pcs
Waterfall	1 pc
Heater	3 kW
Pumps	2 pcs 3 HP double speed 2 pcs 2 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	3 pcs MicroPlus paper filters
Water sanitization	UV-C
LED lights	12 pcs LED + Lighting jets + StarLight™ illuminated corner element
Headrests	3 pcs
Sound system	Aquasoul™ Pro 4.1 Pop-Up/flat
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Oxygen therapy	yes
Auxiliary control panel	1 pc 1 button + 1 pc 4 buttons
Heat exchanger preparation	yes
Thermo cover	yes

Scandinavian insulation (3,5 cm) Options:

In.Clear water sanitization

Lighting jets

HorizontSide™ UV-proof wood textured side cover

Vario Pods



PEAKLINE OLYMPUS

Measurements (L × W × H)	3 540 × 2 300 × 980 mm
Reclining / Sitting places	2/7
Net weight / Water volume	900 kg / 2 331 l
Frame	Stainless steel
Side cover	HorizontSide™ UV-proof wood textured
Reinforcement	Fiberglass reinforced
Insulation	Polyfoam (2 cm)
Drains	2 pcs at the bottom
Opt. power requirement Min. power requirement*	1 × 47A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 34A 230V/50Hz
Control box	Gecko (IN.YT-8)
Control panel	SmartTouch
Total number of jets	88 pcs
Waterfall	1 pc
Heater	3 kW
Pumps	2 pcs 3 HP double speed 2 pcs 2 HP single speed
Circulation pump	1,2 HP circ. pump
Cartridge filter	1 pc MicroPlus paper filters
Water sanitization	UV-C
LED lights	20 pcs LED + Lighting jets
Headrests	4 pcs
Sound system	Aquasoul™ Pro 4.1 Pop-Up
SmartPhone app - wifi connection	yes
Aromatic therapy	Liquid Aroma (without fragrance)
Auxiliary control panel	1 pc 1 button + 1 pc 4 buttons
Heat exchanger preparation	yes
Thermo cover	yes

Scandinavian insulation (3,5 cm) Options:

Lighting jets Vario Pods









^{*}The recommended retail prices were calculated with an average of 8% VAT.

** The prices quoted do not include transport, installation and accessories.



RRP 45 490 CHF 2020 Sales 31 900 CHF

-30%

RRP 49 990 CHF 2020 Sales 34 990 CHF





Measurements (L × W × H)	6 000 × 2 350 × 1 470 mm
Reclining / Sitting places	1/5
Net weight / Water volume	1 380 kg / 6 463 l
Frame	Stainless steel
Side cover	HorizontSide™ or semi-inground
Reinforcement	Fiberglass reinforced
Insulation	Polyfoam (2 cm)
Drains	1 + 1 pc at the bottom
Opt. power requirement Min. power req.* (hydro massage)	1 × 33A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 20A 230V/50Hz
Opt. power requirement Min. power req.* (swim spa)	1 × 44A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 31A 230V/50Hz
Control box	Gecko (IN.YE-3 + IN.YE-8)
Control panel	2 × SmartTouch
Total number of jets	40 pcs
Waterfall	1 pc
Laminar fountain jets	3 × 3 pcs
Heater	3 kW
Pumps (hydromassage)	2 pcs 3 HP single speed + Circ. pump
Pumps (swim spa)	3 × 3 HP 2 speed + Circ. pump
Cartridge filter	2 pcs + 1 pc antibacterial paper filters
Water sanitization	2 pcs UV-C
LED lights	16 + 18 pcs LED
Headrests	3 pcs
Sound system	AquaSoul™ Pro 4.1
SmartPhone app - wifi connection	yes
Thermo cover	yes
Swimming stick	yes
Heat exchanger preparation	yes yes
	01a. 200 7ia

Options: Scandinavian insulation (3,5 cm)

Lighting jets Paddle





^{*}The recommended retail prices were calculated with an average of 8% VAT. ** The prices quoted do not include transport, installation and accessories.



SWIMLINE RIO GRANDE TURBINE SYSTEM

Measurements (L × W × H) 6 000 × 2 350 × 1 470 mm Reclining / Sitting places 1/5 Net weight / Water volume 1 380 kg / 6 463 l Frame Stainless steel
Net weight / Water volume 1 380 kg / 6 463 l
<u> </u>
Side cover HorizontSide™ or semi-inground
Reinforcement Fiberglass reinforced
Insulation Polyfoam (2 cm)
Drains 1+1 pc at the bottom
- Practice
Opt. power requirement $1 \times 33A \ 230V/50Hz \ or \ 3 \times 16A \ 400V/50Hz$ Min. power req.* (hydro massage) $1 \times 20A \ 230V/50Hz$
Opt. power requirement 1 × 22A 230V/50Hz or 3 × 16A 400V/50Hz
Min. power req.* (swim spa) 1 × 14A 230V/50Hz
Control box Gecko (IN.YE-3 + IN.YE-8)
Control panel 2 × SmartTouch
Total number of jets 40 pcs
Waterfall 1 pc
Laminar fountain jets 3 × 3 pcs
Heater 3 kW
Pumps (hydromassage) 2 pcs 3 HP single speed + Circ. pump
Pumps (swim spa) Turbine + Circ. pump
Cartridge filter 2 pcs + 1 pc antibacterial paper filters
Water sanitization 2 pcs UV-C
LED lights 16 + 18 pcs LED
Headrests 3 pcs
Sound system AquaSoul™ Pro 4.1
SmartPhone app - wifi connection yes
Thermo cover yes
Swimming stick yes
Heat exchanger preparation yes

Options: Scandinavian insulation (3,5 cm)

Lighting jets Paddle







RRP 33 990 CHF

2020 Sales 23 900 CHF

-30%

RRP 42 490 CHF

2020 Sales 29 900 CHF

-30%





•	=
Measurements (L × W × H)	5 500 × 2 350 × 1 470 mm
Swim area / Sitting places	1/2
Net weight / Water volume	1 150 kg / 8 036l
Frame	Stainless steel
Side cover	HorizontSide™ or semi-inground
Reinforcement	Fiberglass reinforced
Insulation	Polyfoam (2 cm)
Drains	D50 ball valve
Power requirement	3 × 20A 230V/50Hz
Control box	Gecko (IN.YE-8)
Control panel	SmartTouch
Total number of jets	27 pcs
Waterfall	-
Laminar fountain jets	2 × 3 pcs
Heater	3 kW
Pumps (hydromassage)	1 pc 3 HP single speed + Circ. pump
Pumps (swim spa)	3 × 3 HP 2 speed
Cartridge filter	4 pcs antibacterial paper filters
Water sanitization	UV-C
LED lights	25 pcs LED + illumin. control valves
Headrests	2 pcs
Sound system	AquaSoul™ Pro 4.1
SmartPhone app - wifi connection	yes
Thermo cover	yes
Swimming stick	yes
Heat exchanger preparation	yes

Options: Scandinavian insulation (3,5 cm)

Lighting jets Paddle



SWIMLINE AMAZONAS TURBINE SYSTEM

Measurements (L × W × H)	5 500 × 2 350 × 1 470 mm
Swim area / Sitting places	1/2
Net weight / Water volume	1 150 kg / 8 036l
Frame	Stainless steel
Side cover	HorizontSide™ or semi-inground
Reinforcement	Fiberglass reinforced
Insulation	Polyfoam (2 cm)
Drains	D50 ball valve
Opt. power requirement Min. power requirement*	1 × 44A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 14A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	SmartTouch
Total number of jets	26 pcs
Waterfall	-
Laminar fountain jets	2 × 3 pcs
Heater	3 kW
Pumps (hydromassage)	1 pc 3 HP single speed + Circ. pump
Pumps (swim spa)	Turbine
Cartridge filter	4 pcs antibacterial paper filters
Water sanitization	UV-C
LED lights	25 pcs LED
Headrests	2 pcs
Sound system	AquaSoul™ Pro 4.1
SmartPhone app - wifi connection	yes
Thermo cover	yes
Swimming stick	yes
Heat exchanger preparation	yes INCLUDE: AQUASQUE AUDIO AQUASTEM OLO
	L C4212 010

Options: Scandinavian insulation (3,5 cm)

Lighting jets Paddle









RRP 26 990 CHF 2020 Sales 18 900 CHF

-30%

RRP 32 490 CHF

2020 Sales 22 900 CHF

-30%





SWIMLINE DANUBE W-FLOW SYSTEM

Measurements (L × W × H)	4 500 × 2 350 × 1 470 mm
Swim area / Sitting places	1/2
Net weight / Water volume	1 047 kg / 5 913 l
Frame	Stainless steel
Side cover	HorizontSide™ or semi-inground
Reinforcement	Fiberglass reinforced
Insulation	Polyfoam (2 cm)
Drains	D50 ball valve
Opt. power requirement	1×44 A 230V/50Hz or 3×16 A 400V/50Hz
Min. power requirement*	1 × 31A 230V/50Hz
Control box	Gecko (IN.YE-8)
Control panel	SmartTouch
Total number of jets	24 pcs
Waterfall	-
Laminar fountain jets	2 × 3 pcs
Heater	3 kW
Pumps (hydromassage)	1 pc 3 HP single speed + Circ. pump
Pumps (swim spa)	3 × 3 HP 2 speed
Cartridge filter	2 pcs + 1 pc antbacterial paper filters
Water sanitization	UV-C
LED lights	16 pcs LED
Headrests	2 pcs
Sound system	AquaSoul™ Pro 4.1
SmartPhone app - wifi connection	yes
Thermo cover	yes
Swimming stick	yes
Heat exchanger preparation	yes

Options: Scandinavian insulation (3,5 cm)

Lighting jets Paddle



SWIMLINE DANUBE TURBINE SYSTEM

Measurements (L \times W \times H)	4 500 × 2 350 × 1 470 mm
Swim area / Sitting places	1/2
Net weight / Water volume	1 047 kg / 5 913 l
Frame	Stainless steel
Side cover	HorizontSide™ or semi-inground
Reinforcement	Fiberglass reinforced
Insulation	Polyfoam (2 cm)
Drains	D50 ball valve
Opt. power requirement Min. power requirement*	1 × 44A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 20A 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	SmartTouch
Total number of jets	24 pcs
Waterfall	-
Laminar fountain jets	2 × 3 pcs
Heater	3 kW
Pumps (hydromassage)	1 pc 3 HP single speed + Circ. pump
Pumps (swim spa)	Turbine
Cartridge filter	2 pcs + 1 pc antbacterial paper filters
Water sanitization	UV-C
LED lights	16 pcs LED
Headrests	2 pcs
Sound system	AquaSoul™ Pro 4.1
SmartPhone app - wifi connection	yes
Thermo cover	yes
Swimming stick	yes
Heat exchanger preparation	yes

Options: Scandinavian insulation (3,5 cm)

Lighting jets Paddle









RRP 49 990 CHF 34 990 CHF 2020 Sales

-30%

RRP 82 990 CHF 2020 Sales 57 990 CHF

-30%





Measurements (L × W × H)	2 270 × 2 570 × 900 mm
Reclining / Sitting places	2/4
Net weight / Water volume	350 kg / 1 780 l
Frame	Stainless steel
Side cover	HorizontSide™ UV-proof wood textured
Insulation	Polyfoam (2 cm)
Drains	Linear drain
Opt. power requirement Min. power requirement*	$1 \times 27A$ 230V/50Hz or $3 \times 16A$ 400V/50Hz $1 \times 14A$ 230V/50Hz
Control box	Gecko (IN.YE-3)
Control panel	SmartTouch
Total number of jets	38 pcs
Waterfall	-
Laminar fountain jets	-
Heater	3 kW
Pumps (hydromassage)	2 × 2 HP single speed
Circulation pump	W-EC pump (0.25 kW)
Cartridge filter	2 pcs MicroPlus paper filters
Water sanitization	UV-C
LED lights	Central
Headrests	-
Sound system	-
SmartPhone app - wifi connection	yes
Thermo cover	yes
EPH protection	yes

Scandinavian insulation (3,5 cm) Options:

Lighting jets



INOXLINE KONGO

Measurements (L × W × H)	4 280 × 2 300 × 1 430 mm
Swim area / Sitting places	1/2
Net weight / Water volume	1 100 kg / 9 114 l
Frame	Stainless steel
Side cover	HorizontSide™ UV-proof wood textured
Insulation	Polyfoam (2 cm)
Drains	Linear drain
Opt. power requirement Min. power requirement*	1 × 33A 230V/50Hz or 3 × 16A 400V/50Hz 1 × 20A 230V/50Hz
Control box	Gecko (IN.YE-5)
Control panel	SmartTouch
Total number of jets	12 pcs
Waterfall	-
Laminar fountain jets	-
Heater	3 kW
Pumps (hydromassage)	1 × 2 HP single speed 1 × 1.2 HP circulation pump
Pumps (swim spa)	Turbine
Cartridge filter	2 pcs MicroPlus paper filters
Water sanitization	UV-C
LED lights	Central
Headrests	-
Sound system	-
SmartPhone app - wifi connection	yes
Thermo cover	yes
EPH protection	yes

Options: Scandinavian insulation (3,5 cm) Lighting jets











The products included in the catalogue are for illustration purposes only, and may not always match the specifications of the advertised product. Wellis reserves the right to modify the products – including the product range – without prior notice, since they are valid at the time they are delivered to the printing press. We may not be made responsible for printing errors.